


URTA SYSTEM

BY SAM BILLIARDS


THE URTA SYSTEM IS A SIMPLE AND SECURE TOOL FOR RAISING THE PLAYING FRAME OF A SAM POOL TABLE IN ORDER TO RECLOTH, MAKE ANY REPAIR OR ACCESS TO THE INSIDE OF THE CABINET.

ESSENTIAL FOR OPERATORS AND ASSEMBLERS




URTA SYSTEM COMPONENTS:

- A.- PLAYING FRAME LIFTING LEVER
- B.- 4 X PLAYING FRAME SUPPORTS
- C.- SAFETY WEDGE



1

BEWARE OF THE CORRECT POSITION OF THE LEVER: PLACE IT IN THE MIDDLE OF THE SHORT SIDE WITH THE RUBBER FOOT FIRMLY SEATED ON THE GROUND AND THE BAR PARALELL TO THE SIDE OF THE CABINET.



2

HOOK THE HINGE ONTO THE BOTTOM EDGE OF THE PLAYING FRAME AND GENTLY LIFT IT UPWARDS UNTIL THE SAFETY PIN HOLE IS CLEAR.



3

INSERT THE SAFETY PIN TO ENSURE THAT THE LEVER HOLDS THE FRAME UP.



4

DETAIL OF THE LEVER WITH THE SAFETY PIN IN POSITION.



5

INSERT THE SECURITY WEDGE MAKING SURE THAT YOU HAVE IT IN THE CORRECT POSITION. YOUR HAND SHOULD NEVER PASS UNDER THE PLAYING FRAME NOW RESTING ON THE LEVER.



6


PLACE THE SECURITY WEDGE IN POSITION, CLOSE TO THE HINGE OF THE LEVER. YOU WILL NEED TO RAISE AGAIN SLIGHTLY THE PLAYING FRAME TO DO SO. NOW THE FRAME IS SECURED AND CANNOT FALL.



INTRODUCE THE FIRST PLAYING FRAME SUPPORT BETWEEN THE CABINET AND THE PLAYING FRAME IN HORIZONTAL POSITION.



TURN IT TO THE VERTICAL POSITION AND HANG IT UP FROM THE SIDE PANEL OF THE CABINET.



SLIDE THE PLAYING FRAME SUPPORT TOWARDS THE CENTER OF THE TABLE TO GET A BETTER SUPPORT OF THE PLAYING FRAME




INTRODUCE NOW THE SECOND SUPPORT AT THE OPPOSITE SIDE OF THE CABINET.




PLACE THE SECOND SUPPORT OPPOSITE THE FIRST ONE, EXACTLY AS YOU DID THE FIRST TIME. NOW YOU ARE READY TO REMOVE THE LEVER.



FIRST YOU NEED TO REMOVE THE SECURITY WEDGE. RAISE THE FRAME SLIGHTLY AND TAKE IT OUT IN THE SAME WAY YOU PUT IT IN BEFORE.



13
REMOVE THE SAFETY PIN AND LEAVE THE PLAYING FRAME RESTING ON THE TWO SUPPORTS THAT YOU JUST PLACED AT BOTH SIDES.



14
NOW YOU ARE READY TO REMOVE THE LEVER. **THE PLAYING FRAME IS NOW RAISED AND SECURED AT ONE OF THE SHORT ENDS OF THE CABINET.**



15
REPEAT STEPS 1 TO 14 AT THE OTHER SHORT SIDE OF THE CABINET. YOUR TABLE SHOULD LOOK LIKE THIS AT THE END OF THE PROCESS: 2 SUPPORTS AT EACH LONG PANEL. **NOW YOU ARE READY TO RECLOTH, MAKE REPAIRS, OR ACCESS TO THE INSIDE OF THE CABINET.**

Pol. Ind. Los Llanos
01230 Nanclares de Oca
ALAVA - SPAIN



www.sambilliards.com
shop.samgames.es
info@billaressam.com